



Designed, Tested, Australian Manufactured

Dimensions:

340mm Long; 285mm High; 150mm Wide.

Main Body Construction:

Stainless Steel Tube, End Caps and Base.

Total Weight:

13.5.kg (Including Ballistic Media Pack).

Ballistic Media Pack:

Field Replaceable.

Bushing:

Polymer with 80mm diameter muzzle clearance port. (Bushing is Field replaceable) For special purposes an optional Bush with 110mm clearance is available.

Internal Blast Shield:

Field Replaceable polymer disc.

External Fixings:

Stainless Steel Screws and Bolt.

Internal Fixings:

2 off internal circlips & 1 off external circlip.

Blast Containment and Dispersal Area:

sufficient area to enclose a Muzzle Brake up to 70mm long.

Maintenance tools required:

Hex Key, Spanner, large Internal Circlip pliers, large external Circlip Pliers.





WCS-50 on quick detach Pedestal mount.



Blaser Sniper Rifle, 0.338 Lapua Magnum APWC (Tungsten core) M16 Carbine full auto



WCS-50 on quick detach Pedestal mount.





Test Data Table: Handgun

Calibres NATO/US/Australia	Calibres Former Soviet & Eastern Block	Remarks
The WCS-50 can be used with calibres from 5.7x28 to 50AE (Including all AP handgun)	The WCS-50 can be used with calibres from 5.45x25 to 9x18 (Including all AP handgun)	Refer to test reports for further clarification Will contain full auto fire

Test Data Table: SMG/Carbine

Calibres NATO/US/Australia	Calibres Former Soviet & Eastern Block	Remarks
The WCS-50 can be used with SMG/Carbine calibres such as 4.6x30/5.7x28/9x19/30M1 (Including all AP variations)	The WCS-50 can be used with SMG/ Carbine calibres from 7.62x25 to 9x18 (Including all AP variations)	Refer to test reports for further clarification Will contain full auto fire

Test Data Table: Rifle

Calibres NATO/US/Australia	Calibres Former Soviet & Eastern Block	Remarks
The WCS-50 can be used with the following Rifle calibres: 5.56x45/7.62x51/7.62x63 (.30-06) .338 Lapua Magnum 12.7 x 99 (.50 BMG) (Including all AP variations excepting 12.7mm SLAP and HE)	The WCS-50 can be used with the following Rifle calibres: 5.45x39/7.62x39/7.62x54R 12.7 x 108 (Including all AP variations excepting 12.7mm SLAP and HE)	Refer to test reports for further clarification Will contain full auto fire up to 7.62 Up to 4 impacts .338 LM APWC Single impact 12.7 M2AP

Page 3

Call to Order 1800 080 280

PO Box 173, Sutherland NSW, Australia 1499

Toll Free: 1800 080 280

ABN: 70 104 919 806

Phone: 02 9521 2053 Fax: 02 9545 6767

Email: sales@multifile.com.au Web: www.multifile.com.au